

Polish with a Purpose

QuickRail® Systems

Beautiful railings are made more durable, thanks to our special manufacturing process. They are virtually maintenance free, and resist decay, warping, fading, chipping, splintering and rust. And simple, step-by-step installation instructions help ensure all QuickRail products live up to their name.

How to Use This Section

For ease of use, the product groupings in this section of the catalog are organized by size, from smallest to largest, where applicable. Each product chart includes product images, dimensional data and part numbers to help specify, source and sell Fypon® QuickRail® synthetic railing systems.

How to Order

QuickRail® Systems

QuickRail rail kits are available for both straight and stair applications. Each kit includes a deluxe top rail, a flat bottom rail, spindles, a crush block, brackets, bracket covers and the necessary screws for fast installation. Rail kits can be attached to a wall, round column, newel post or porch post.

NOTE: QuickRail stair rail kits cannot be attached to round columns or 45° post applications.

First, plan your layout, as shown here, by determining the size and configuration of your porch, including any stairs. The most important step to building your order is creating an accurate layout. Check local building codes to determine minimum guardrail height, maximum rail span and structural post requirements for your area. Determine the number of rail and post kits you need to accommodate your layout.

Next, choose spindle style. Then find the part number of the rail kit that meets your style, length and height requirements.


Finally, determine size and style of any accessories needed to achieve the desired look.

QuickRail® System Accessories

A variety of accessories are available to create your own unique system, including post kits, post sleeves, gate kits, porch posts and grab rails. If you have an application where additional or unique connections are required, bracket and adapter kits are sold separately. Individual components are also sold separately.

Special Order Products


Some products shown in this catalog include special order options. This means the product is available in additional sizes or with additional accessories. Throughout this section, special order part numbers are marked with an asterisk (*).



Building Code Compliance*

QuickRail products are building code compliant when installed on structural surfaces no more than 30" above ground. The 8' and 10' rail kits include a top rail aluminum insert that must be used in any installation. The 6' rail kits do not require an insert. In applications above 30", only rail lengths of 10' or less mounted between our ultra post kits or 4"x4" posts with post sleeves are building code compliant. The complete post kit with standard post mount can only be installed in applications that are less than 30" above ground.

Fypon has received confirmation from ICC Evaluation Service, LLC (ICC-ES), that its QuickRail synthetic railing systems comply with the provisions of the International Building Code and International Residential Code. The ICC-ES confirmation, published in evaluation report ESR-2601, will help code officials approve use of QuickRail systems under the codes. The Fypon evaluation report is available online at www.icc-es.org.




Each straight or stair rail kit includes the following:

- Deluxe Top Rail
- Top Rail Structural Insert (Not Included in 6' Kits)
- Colonial, Square or Glass Spindles
- Bottom Rail
- Crush Block
- Brackets & Bracket Covers
- Screw Pack

Finish Colors

QuickRail products come in our vibrant white or tan UV-protected finish.

NOTE: Printed colors may not be an accurate representation of actual product color.



NOTE: Always consult the local building code authority to determine suitability

Tan

White

Square Spindles (Posts Sold Separately)



Straight & Stair Rail Kits

QuickRail® Straight Rail Kits**

Deluxe Rail with Square or Colonial Spindles (Posts Sold Separately)

NOTE: Colonial spindle spacing is 3 ¹/₄". Square spindle spacing is 3 ⁷/₈".

| Description | Hand Rail Height | Spindle Style | No. of Spindles | Actual Rail Length | Bracket Style | White Part Number | Tan Part Number |
|---------------------|------------------------|------------------|--------------------|--------------------------|------------------|----------------------|--------------------|
| 6' Deluxe Rail Kit | 36" | Colonial | 14 | 70 1/2" | Straight | 740636CLDF | 74T636CLDF* |
| 6' Deluxe Rail Kit | 36" | Square | 13 | 72" | Straight | 740636SQDF | 74T636SQDF* |
| 6' Deluxe Rail Kit | 42" | Square | 13 | 72" | Straight | 740642SQDF* | 74T642SQDF* |
| 8' Deluxe Rail Kit | 36" | Colonial | 19 | 94 1/8" | Straight | 740836CLDF | 74T836CLDF* |
| 8' Deluxe Rail Kit | 36" | Square | 17 | 96" | Straight | 740836SQDF | 74T836SQDF* |
| 8' Deluxe Rail Kit | 42" | Square | 17 | 96" | Straight | 740842SQDF | 74T842SQDF* |
| 10' Deluxe Rail Kit | 36" | Colonial | 24 | 117 3/4" | Straight | 741036CLDF | 74T1036CLDF* |
| 10' Deluxe Rail Kit | 36" | Square | 22 | 120" | Straight | 741036SQDF | 74T1036SQDF* |
| 10' Deluxe Rail Kit | 42" | Square | 22 | 120" | Straight | 741042SQDF | 74T1042SQDF* |
| 12' Deluxe Rail Kit | 36" | Colonial | 29 | 141 1/2" | Straight | 741236CLDF* | 74T1236CLDF* |
| 12' Deluxe Rail Kit | 36" | Square | 26 | 144" | Straight | 741236SQDF | 74T1236SQDF* |
| 12' Deluxe Rail Kit | 42" | Square | 26 | 144" | Straight | 741242SQDF | 74T1242SQDF* |

QuickRail® Stair Rail Kits**

Deluxe Stair Rail with Square or Colonial Spindles (Posts Sold Separately)

NOTE: Colonial spindle spacing is $3^{1/4}$ ". Square spindle spacing is $3^{7/8}$ ".

| Description | Hand Rail Height | Spindle Style | No. of Spin- dles | Actual Rail Length | Bracket Style | White Part Number | Tan Part Number |
|---------------------------|------------------------|------------------|-------------------------|--------------------------|------------------|----------------------|--------------------|
| 6' Deluxe Stair Rail Kit | 36" | Colonial | 11 | 78" | Stair | 740636CLDS | 74T636CLDS* |
| 6' Deluxe Stair Rail Kit | 36" | Square | 11 | 78" | Stair | 740636SQDS | 74T636SQDS* |
| 6' Deluxe Stair Rail Kit | 42" | Square | 11 | 78" | Stair | 740642SQDS* | 74T642SQDS* |
| 8' Deluxe Stair Rail Kit | 36" | Colonial | 15 | 102" | Stair | 740836CLDS | 74T836CLDS* |
| 8' Deluxe Stair Rail Kit | 36" | Square | 15 | 102" | Stair | 740836SQDS | 74T836SQDS* |
| 8' Deluxe Stair Rail Kit | 42" | Square | 15 | 102" | Stair | 740842SQDS | 74T842SQDS* |
| 10' Deluxe Stair Rail Kit | 36" | Colonial | 19 | 126" | Stair | 741036CLDS | 74T1036CLDS* |
| 10' Deluxe Stair Rail Kit | 36" | Square | 19 | 126" | Stair | 741036SQDS | 74T1036SQDS* |
| 10' Deluxe Stair Rail Kit | 42" | Square | 19 | 126" | Stair | 741042SQDS* | 74T1042SQDS* |

^{*}Part numbers marked with an asterisk (*) are special order.

QuickRail® Straight Rail Kits**

Deluxe Straight Rail with Glass



| Description | Hand Rail Height | Spindle Style | No. of Spindles | Actual Rail Length | Bracket Style | White Part Number | Tan Part Number |
|--------------------|------------------------|------------------|--------------------|--------------------------|------------------|----------------------|--------------------|
| 6' Deluxe Rail Kit | 36" | Glass | 6 | 72" | Straight | 740636GLDF* | _ |

NOTE: This product can only be installed on structural surfaces less than 30" above ground. CAUTION: Always exercise care when handling and installing glass products. Always use protective gloves and safety glasses.

** Always consult the local building code authority to determine suitability

Complete Post Kits

The complete post kit comes with a standard post mount and can be used to connect rail sections on substrates with elevation of 30" or less. Complete post kits include a cap, base, standard PVC post mount and the necessary hardware for installation on both pressure-treated wood decking and masonry surfaces.

Kit Contents:

- (1) Post Sleeve
- (1) Taper Cap
- (1) Post Base
- (1) Standard PVC Post Mount
- (1) Hardware Kit




| Post Size | Inside Width | Post Height | White Part Number | Tan Part Number |
|---------------|--------------------|--|----------------------------|-----------------------------|
| 4" x 4" x 38" | 3 ⁵ /8" | 38" | 40050438PK Plain Square | 4T050438PK* Plain Square |
| 4" x 4" x 38" | 3 5/8" | 38" | 40050438CPK* Colonial | - |
| 4" x 4" x 44" | 3 5/8" | 44" | 40050444PK Plain Square | 4T050444PK* Plain Square |
| Hardware Kit | in all complete | it is included post kits, but can ased separately. | 4005AC | CQHDR |

Ultra Post Kits

The ultra post is a structural, commercial-grade newel post that can be used on substrates with elevations higher than 30". Ultra post kits include a cap, base, structural post mount and the necessary hardware for installation on either wood / composite or concrete / masonry surfaces.

Kit Contents:

- (1) Post Sleeve
- (1) Taper Cap (1) Post Base
- (1) Structural Post Mount
- (1) Mounting Hardware (for ACQ pressure-treated wood or masonry)



| Post Size | Inside Width | Post Height | Substrate | White Part Number | Tan Part Number |
|---------------|--------------------------------------|----------------|------------------------|----------------------|--------------------|
| 1" y 1" y 38" | 4" x 4" x 38" 3 ⁵ /8" 38" | 28" | Wood or Composite | 70050438WPK* | 70T50438WPK* |
| 4 4 4 4 30 | 3 70 | 30 | Concrete or Masonry | 70050438CPK* | 70T50438CPK* |
| 4" x 4" x 44" | 3 ⁵ /8" | 44" | Wood or Composite | 70050444WPK* | 70T50444WPK* |
| 4 14 144 | J /8 | 44 | Concrete or Masonry | 70050444CPK* | 70T50444CPK* |

^{*} Part numbers marked with an asterisk (*) are special order.

Post Sleeves & Accessories

The post sleeve is a one-piece, hollow design that slides over an existing 4"x4" or 5"x5" support post. Post sleeves can be accented with a variety of caps and bases to customize your system.

| Post Sleeve | Sleeve Style | Sleeve Size | Inside Width | Structural Support Size | White Part Number | Tan Part Number |
|-------------|--------------|----------------|---------------------------|----------------------------|----------------------|--------------------|
| | Plain | 4" x 4" x 38" | 3 5/8" | 3 1/2" | 40050438PS | 4T050438PS* |
| | Plain | 4" x 4" x 44" | 3 5/8" | 3 1/2" | 40050444PS* | 4T050444PS* |
| | Plain | 4" x 4" x 48" | 3 5/8" | 3 1/2" | 40050448PS* | 4T050448PS* |
| | Plain | 4" x 4" x 60" | 3 5/8" | 3 1/2" | 40050460PS* | 4T050460PS* |
| | Plain | 4" x 4" x 96" | 3 5/8" | 3 1/2" | 40050408PS* | 4T050408PS* |
| | Plain | 4" x 4" x 108" | 3 5/8" | 3 1/2" | 40050409PS* | 4T050409PS* |
| | Plain | 5" x 5" x 38" | 4 ⁵ /8" | 4 ¹ /2" | 40050538PS* | _ |
| | Recessed | 5" x 5" x 38" | 4 ⁵ /8" | 4 1/2" | 40050538RPPS* | _ |
| | Plain | 5" x 5" x 44" | 4 ⁵ /8" | 4 1/2" | 40050544PS* | _ |
| | Plain | 5" x 5" x 96" | 4 ⁵ /8" | 4 ¹ /2" | 40050508PS* | _ |
| | Plain | 5" x 5" x 108" | 4 ⁵ /8" | 4 ¹ /2" | 40050509PS* | _ |

^{*} Part numbers marked with an asterisk (*) are special order.

See next page for post caps and bases



| Post Caps and Bases | Size and Style | Height | White Part Number | Tan Part Number |
|---------------------|----------------------|---------------------------|----------------------|--------------------|
| | 4" Taper Cap | 1 1/8" | 40040404TC | 4T040404TC* |
| | 5" Taper Cap | 1 1/8" | 40040505TC* | _ |
| | 4" Ball Cap | 4 ⁵ /8" | 40040404BC* | 4T040404BC* |
| | 5" Ball Cap | 5 3/4" | 40040505BC* | _ |
| | 4" Gothic Cap | 7 3/4" | 40040404GC* | 4T040404GC* |
| | 5" Gothic Cap | 9 3/4" | 40040505GC* | _ |
| | 4" New England Cap | 1 3/4" | 40040404NC* | 4T040404NC* |
| | 5" New England Cap | 2 1/8" | 40040505NC* | _ |
| | 4" New England Base^ | 1 1/2" | 40040404PB* | 4T040404PB* |
| | 5" New England Base | 1 ⁷ /8" | 40040505PB* | _ |

[^] Not compatible with complete post kit.

Gate Kits

Gate kits come with a latch, hinges and mounting hardware, and are available in 36" and 42" heights. The gate kit components are pre-cut to fit a 37 1/2" wide opening but can be trimmed for smaller applications. Be sure to check local building codes for any dimension requirements when planning your system layout.

Kit Contents:

- (1) Deluxe Top Rail
- (1) Flat Bottom Rail (5) Spindles
- (2) Taper Caps
- (2) Post Sleeves
- (1) Gate Hardware Kit (Colonial or Square)

IMPORTANT: Gate kit should NOT be attached to complete post kit. It is recommended to attach the gate kit to a structural 4"x4" or 5"x5" treated post covered with a post sleeve.



| Description | Spindle Style | Gate Width | Kit Height | White Part Number | Tan Part Number |
|-----------------------|------------------|------------|------------|----------------------|--------------------|
| 34" x 36" Gate Kit | Square | 35" | 36" | 4436SQDFGK | 44T36SQDFGK* |
| 34" x 36" Gate Kit | Colonial | 35" | 36" | 4436CLDFGK* | 44T36CLDFGK* |
| 34" x 42" Gate Kit | Square | 35" | 42" | 4442SQDFGK* | 44T42SQDFGK* |

NOTE: This product can only be installed on structural surfaces less than 30" above ground.

^{*} Part numbers marked with an asterisk (*) are special order.

Bracket & Adapter Kits

| Bracket & Adapter Kits | | |
|---|----------------------|--------------------|
| Straight Bracket Kit For use with QuickRail® Straight Rail Kits | White Part Number | Tan Part Number |
| (2) Top Rail (2) Top Rail (2) Bottom Rail (2) Bottom Rail (2) Screw Packs Brackets Bracket Covers Brackets Bracket Covers (Qty. 16) | 440900DFBK* | 44T900DFBK* |
| Stair Bracket Kit For use with QuickRail® Stair Rail Kits | White Part Number | Tan Part Number |
| (2) Bottom Rail (1) Top Rail Upper Stair Bracket Cover Bracket Cover Cover (2) Bottom Rail Brackets (2) Top Rail Brackets Brackets (2) Screw Packs (Qty. 16) | 4409DFSUBK* | 44T9DFSUBK* |
| Curved Adapter Kit To connect QuickRail® Straight Rail Kits to round columns | White Part Number | Tan Part Number |
| (2) Top Rail (2) Bottom Rail (1) Screw Pack Curved Adapters (Qty. 8) | 440900DCBK* | 74T700DCBK* |
| Multi-Angle Bracket Kit For use with QuickRail® Straight Rail Kits in 22.5°-45° applications | White Part Number | Tan Part Number |
| (1) Top Rail (1) Bottom Rail (1) Top Rail (1) Bottom Rail (1) Screw Pack (1) Rod Pack Multi-Angle Multi-Angle Multi-Angle (Qty. 32) (Qty. 4 Rods; Connector Connector Pivot Bracket Pivot Bracket 8 Caps) | 44070DFMBK* | 44T70DFMBK* |
| 45° Corner Post Bracket Kit For use with QuickRail® Straight Rail Kits in 45° applications | White Part Number | Tan Part Number |
| (1) Top Rail (1) Bottom Rail (1) Screw Pack 45° Adapter (Qty. 8) | 74070FFPBK* | 74T70FFPBK* |

^{*} Part numbers marked with an asterisk (*) are special order.

Individual Components













Deluxe Top Rail

Flat Bottom Rail

Crush Block

Top Rail Multi-Angle Connector & Pivot Bracket

Bottom Rail Multi-Angle Connector & Pivot Bracket



Square Spindle

Screw Pack

| Colonial Spindle | Square Spindle | Screw Pack | |
|---|---------------------------------|-------------------|-----------------|
| Description | | White Part Number | Tan Part Number |
| 6' Deluxe Top Rail - for Colonial Spindles | | 4407060CTR* | 44T7060CTR* |
| 6' Deluxe Top Rail - for Square Spindles | | 4407060STR* | 44T7060STR* |
| 6' Flat Bottom Rail - for Colonial Spindles | | 4007060CBR* | 4T07060CBR* |
| 6' Flat Bottom Rail - for Square Spindles | | 4007060SBR* | 4T07060SBR* |
| 6' Deluxe Stair Rail - for Colonial / Square Spindles | S | 4407060SSR* | 44T7060SSR* |
| 6' Flat Stair Rail - for Colonial / Square Spindles | | 4007060SLR* | 4T07060SLR* |
| 8' Deluxe Rail - for Colonial Spindles | | 4407080CTR* | 44T7080CTR* |
| 8' Deluxe Rail - for Square Spindles | | 4407080STR* | 44T7080STR* |
| 8' Flat Bottom Rail - for Colonial Spindles | | 4007080CBR* | 4T07080CBR* |
| 8' Flat Bottom Rail - for Square Spindles | | 4007080SBR* | 4T07080SBR* |
| 8' Deluxe Stair Top Rail - for Colonial / Square Spir | ndles | 4407080SSR* | 44T7080SSR* |
| 8' Flat Stair Bottom Rail - for Colonial / Square Spi | ndles | 4007080SLR* | 4T07080SLR* |
| 10' Deluxe Rail - for Colonial Spindles | | 4407010CTR* | 44T7010CTR* |
| 10' Deluxe Rail - for Square Spindles | | 4407010STR* | 44T7010STR* |
| 10' Flat Bottom Rail - for Colonial Spindles | | 4007010CBR* | 4T07010CBR* |
| 10' Flat Bottom Rail - for Square Spindles | | 4007010SBR* | 4T07010SBR* |
| 10' Deluxe Sloped Top Rail - for Colonial / Square S | Spindles | 4407010SSR* | 44T7010SSR* |
| 10' Flat Stair Bottom Rail - for Colonial / Square Sp | pindles | 4007010SLR* | 4T07010SLR* |
| 12' Deluxe Rail - for Colonial Spindles | | 4407012CTR* | 44T7012CTR* |
| 12' Deluxe Rail - for Square Spindles | | 4407012STR* | 44T7012STR* |
| 12' Flat Bottom Rail - for Colonial Spindles | | 4007012CBR* | 4T07012CBR* |
| 12' Flat Bottom Rail - for Square Spindles | | 4007012SBR* | 4T07012SBR* |
| Colonial Spindle (1 $^{1}/_{2}$ " x 1 $^{1}/_{2}$ " x 32 $^{3}/_{4}$ ") | | 44043275CS* | 44T43275CS* |
| Square Spindle (1 1/2" x 1 1/2" x 32 3/4") | | 44043275SS* | 44T43275SS* |
| Square Spindle (1 ¹ / ₂ " x 1 ¹ / ₂ " x 38 ³ / ₄ ") | | 44043875SS* | 44T43875SS* |
| Crush Block (1 1/2" x 8") | | 40071000CB* | 4T071000CB* |
| Top Rail Multi-Angle Connector and Pivot Bracket (| (Includes 1 Rod and 2 Caps) | 4407040MCT* | 44T7040MCT* |
| Bottom Rail Multi-Angle Connector and Pivot Brack | ket (Includes 1 Rod and 2 Caps) | 4407040MCB* | 44T7040MCB* |
| Screw Pack (Qty. 32) | | 44070320SX* | 44T70320SX* |

^{*} Part numbers marked with an asterisk (*) are special order.

QuickPost® Synthetic Porch Post

Structural Post with Lifetime Finish

QuickPost® synthetic porch posts are the perfect complement to our QuickRail® systems. Featuring the same lifetime finish as all QuickRail system components, the vibrant color is virtually maintenance-free and never needs to be painted.

- Structural post with steel insert
- Precise colonial detail
- Trim to fit your project
- Designed for use with QuickRail systems
- Virtually maintenance-free
- Limited lifetime warranty^

Product Details

- Shell is composed of UV-protected vinyl
- Internal core includes a structural, galvanized steel tube
- Kit includes mounting plates and screws
- Trim kit available (sold separately)

Product Options

- Sizes: 5" or 6" nominal width (Actual widths are 4 1/4" or 5 1/4")
- Finish colors: White (standard) or tan (special order)
- Accessories: Trim kit available (sold separately)

QuickPost® Synthetic Porch Post


| Post Size | Actual Width (A) | Load Bearing Capacity | White Part Number | Tan Part Number | Post Style |
|-----------------|---------------------------|--------------------------|----------------------|--------------------|------------|
| 4" x 4" x 8' 8" | 4" | 3,000 lbs. | 40500488SQ | _ | Square |
| 5" x 5" x 8' 8" | 5" | 5,000 lbs. | 40500588SQ | _ | Square |
| 5" x 5" x 8' 8" | 4 ¹ /2" | 3,000 lbs. | 40500588CL | 4T500588CL* | Colonial |
| 6" x 6" x 8' 8" | 5 ¹ /2" | 5,000 lbs. | 40500688CL | 4T500688CL* | Colonial |

QuickPost® Trim Kits (Sold Separately)

| Trim Kit Size | White Part Number | Tan Part Number | Post Style |
|----------------------------------|----------------------|--------------------|------------|
| 5" Trim Kit Fits 5" QuickPost | 40020505TK | 4T020505TK* | Colonial |
| 6" Trim Kit Fits 6" QuickPost | 400600PWTK | 4T020606TK* | Colonial |
| 4" Trim Kit Fits 4" QuickPost | 405004SQTK | _ | Square |
| 5" Trim Kit Fits 5" QuickPost | 405005SQTK | _ | Square |

^{*} Part numbers marked with an asterisk (*) are special order.

NOTE: Dimensional drawings are approximate representations. Do not scale.











Square Trim Kit Sold Separately

[^] For complete details on our warranty, visit www.fypon.com.

Grab Rail Handrail System

Fypon® grab rail perfectly complements all QuickRail® synthetic railing systems. The grab rail system is easy to install and can be mounted to QuickRail® complete post kits (in applications less than 30" above ground) or an existing wall. IMPORTANT: The illustration below is intended to show how the system components are used together. Grab rail must be attached to a guard rail in applications above 30".

- Meets ADA requirements
- White UV-protected finish resists fading
- Never needs painting
- Can be used with QuickRail systems
- Virtually maintenance-free
- Limited lifetime warranty^

